

PRODUCT RANGE
5th of May 2017




Table of Contents

NO	CODE	DESCRIPTION
1	1.1	Beams - HEA
	1.2	Beams - HEB
	1.3	Beams - HEM
	1.4	Beams - IPE
	1.5	Beams - INP
	1.6	Beams - UNP
2	2.1	Flats
3	3.1	Equal angles
	3.2	Unequal angles
4	4.1	Rounds
	4.2	Squares
5	5.1	Equal T-bar
	5.2	Unequal T-bar
	5.3	Channels
6	6.1	Large flats
7	7.1	Erw welded tubes (Class A)
	7.2	Erw welded tubes
	7.3	Erw welded tubes screwed and socked
8	8.1	Hollow sections square (EN10.219)
	8.2	Hollow sections square (EN10.219)
	8.3	Hollow sections rectangular (EN10.219)
	8.4	Hollow sections rectangular (EN10.219)
9	9.1	Hot rolled plates
	9.2	Hot rolled tear plates
	9.3	Sendzimir galvanized plates
	9.4	Plates, pickled and oil- protected
	9.5	Cold- formed plates
	9.6	Electrolytic galvanized plates

1.2 Beams – HEB

Profile	Dimension (mm)						m ² paint area p/m	Weight kg p/m	
	h	x	b	x	d	x			t
100	100	x	100	x	6,0	x	10,0	0,567	20,80
120	120	x	120	x	6,5	x	11,0	0,686	27,30
140	140	x	140	x	7,0	x	12,0	0,805	34,40
160	160	x	160	x	8,0	x	13,0	0,918	43,50
180	180	x	180	x	8,5	x	14,0	1,037	52,20
200	200	x	200	x	9,0	x	15,0	1,151	62,50
220	220	x	220	x	9,5	x	16,0	1,270	72,90
240	240	x	240	x	10,0	x	17,0	1,384	84,80
260	260	x	260	x	10,0	x	17,5	1,499	94,80
280	280	x	280	x	10,5	x	18,0	1,618	105,00
300	300	x	300	x	11,0	x	19,0	1,732	119,30
320	320	x	300	x	11,5	x	20,5	1,771	129,50
340	340	x	300	x	12,0	x	21,5	1,810	136,60
360	360	x	300	x	12,5	x	22,5	1,849	144,80
400	400	x	300	x	13,5	x	24,0	1,927	158,00
450	450	x	300	x	14,0	x	26,0	2,026	174,30
500	500	x	300	x	14,5	x	28,0	2,125	190,60
550	550	x	300	x	15,0	x	29,0	2,224	202,80
600	600	x	300	x	15,5	x	30,0	2,323	216,10
650	650	x	300	x	16,0	x	31,0	2,422	229,30
700	700	x	300	x	17,0	x	32,0	2,520	245,60
800	800	x	300	x	17,5	x	33,0	2,710	267,00
900	900	x	300	x	18,5	x	35,0	2,910	296,60
1000	1000	x	300	x	19,0	x	36,0	3,110	320,00



Beams - HEB

Quality
 S235JR according to EN 10025:2004


Additional Quality
 S355J2 according to EN 10025:2004

Length
 Supply from stock up to 25 metres.



1.3 Beams - HEM

Profile	Dimension (mm)						m ² paint area p/m	Weight in kg p/m	
	h	x	b	x	d	x			t
100	120	x	106	x	12,0	x	20,0	0,619	42,60
120	140	x	126	x	12,5	x	21,0	0,738	53,10
140	160	x	146	x	13,0	x	22,0	0,857	64,50
160	180	x	166	x	14,0	x	23,0	0,970	77,80
180	200	x	186	x	14,5	x	24,0	1,089	90,60
200	220	x	206	x	15,0	x	25,0	1,203	105,00
220	240	x	226	x	15,5	x	26,5	1,322	119,30
240	270	x	248	x	18,0	x	32,0	1,460	160,00
260	290	x	268	x	18,0	x	32,5	1,575	175,30
280	310	x	288	x	18,5	x	33,0	1,694	192,70
300	340	x	310	x	21,0	x	39,0	1,832	242,60
320	359	x	309	x	21,0	x	40,0	1,866	249,70
340	377	x	309	x	21,0	x	40,0	1,902	252,80
360	395	x	308	x	21,0	x	40,0	1,934	254,80
400	432	x	307	x	21,0	x	40,0	2,004	260,90
450	478	x	307	x	21,0	x	40,0	2,096	268,10
500	524	x	306	x	21,0	x	40,0	2,184	275,20
550	572	x	306	x	21,0	x	40,0	2,280	283,40
600	620	x	305	x	21,0	x	40,0	2,372	290,50
650	668	x	305	x	21,0	x	40,0	2,470	298,60
700	716	x	304	x	21,0	x	40,0	2,560	306,80
800	814	x	303	x	21,0	x	40,0	2,750	323,10
900	910	x	302	x	21,0	x	40,0	2,930	339,40
1000	1008	x	302	x	21,0	x	40,0	3,130	355,70



Beams HEM

Quality

S235JR according EN 10025:2004

Additional Quality

S355J2 according EN 10025:2004


Length

Supply from stock up to 25 metres.



1.4 Beams - IPE

Profile	Dimension (mm)						m ² paint area p/m	Weight kg p/m	
	h	x	b	x	d	x			t
80	80	x	46	x	3,8	x	5,2	0,328	6,12
100	100	x	55	x	4,1	x	5,7	0,400	8,30
120	120	x	64	x	4,4	x	6,3	0,475	10,60
140	140	x	73	x	4,7	x	6,9	0,551	13,20
160	160	x	82	x	5,0	x	7,4	0,623	16,10
180	180	x	91	x	5,3	x	8,0	0,698	19,20
200	200	x	100	x	5,6	x	8,5	0,768	22,90
220	220	x	110	x	5,9	x	9,2	0,848	26,70
240	240	x	120	x	6,2	x	9,8	0,922	31,30
270	270	x	135	x	6,6	x	10,2	1,041	36,80
300	300	x	150	x	7,1	x	10,7	1,159	43,10
330	330	x	160	x	7,5	x	11,5	1,254	50,10
360	360	x	170	x	8,0	x	12,7	1,353	58,20
400	400	x	180	x	8,6	x	13,5	1,467	67,60
450	450	x	190	x	9,4	x	14,6	1,695	79,10
500	500	x	200	x	10,2	x	16,0	1,744	92,50
550	550	x	210	x	11,1	x	17,2	1,877	108,10
600	600	x	220	x	12,0	x	19,0	2,015	124,40



Beams - IPE

Quality

S235JR according EN 10025:2004

Additional Quality


S355J2 according EN 10025:2004

Length

Supply from stock up to 25 metres.

1.5 Beams – INP

Profile	Dimension (mm)						m ² paint area p/m	Weight kg p/m	
	h	x	b	x	d	x			t
80	80	x	42	x	3,9	x	5,9	0,304	6,10
100	100	x	50	x	4,5	x	6,8	0,370	8,50
120	120	x	58	x	5,1	x	7,7	0,439	11,40
140	140	x	66	x	5,7	x	8,6	0,502	14,60
160	160	x	74	x	6,3	x	9,5	0,575	18,30
180	180	x	82	x	6,9	x	10,4	0,640	22,40
200	200	x	90	x	7,5	x	11,3	0,709	26,70
220	220	x	98	x	8,1	x	12,2	0,776	31,70
240	240	x	106	x	8,7	x	13,1	0,844	36,90
260	260	x	113	x	9,4	x	14,1	0,908	42,70
280	280	x	119	x	10,1	x	15,2	0,967	48,90
300	300	x	125	x	10,8	x	16,2	1,027	55,30
320	320	x	131	x	11,5	x	17,3	1,087	62,20
340	340	x	137	x	12,2	x	18,3	1,147	69,30
360	360	x	143	x	13,0	x	19,5	1,207	77,60
380	380	x	149	x	13,7	x	20,5	1,266	85,60
400	400	x	155	x	14,4	x	21,6	1,326	94,20



Beams - INP

Quality

S235JR according EN 10025:2004

Additional Quality

S355J2 according EN 10025:2004


Length

Supply from stock up to 25 metres.



1.6 Beams – UNP

Profile	Dimension (mm)						M ² paint area p/m	Weight kg p/m	
	h	x	b	x	d	x			t
80	80	x	45	x	6,0	x	8,0	0,312	8,90
100	100	x	50	x	6,0	x	8,5	0,372	10,80
120	120	x	55	x	7,0	x	9,0	0,434	13,70
140	140	x	60	x	7,0	x	10,0	0,489	16,40
160	160	x	65	x	7,5	x	10,5	0,546	19,20
180	180	x	70	x	8,0	x	11,0	0,611	22,50
200	200	x	75	x	8,5	x	11,5	0,661	25,80
220	220	x	80	x	9,0	x	12,5	0,718	30,00
240	240	x	85	x	9,5	x	13,0	0,775	33,90
260	260	x	90	x	10,0	x	14,0	0,834	38,70
280	280	x	95	x	10,0	x	15,0	0,890	42,60
300	300	x	100	x	10,0	x	16,0	0,950	47,10
320	320	x	100	x	14,0	x	17,5	0,982	60,70
350	350	x	100	x	14,0	x	16,0	1,047	61,80
380	380	x	102	x	13,5	x	16,0	1,110	64,40
400	400	x	110	x	14,0	x	18,0	1,182	73,20



Beams UNP

Quality

S235JR according EN 10025:2004

Additional Quality

S355J2 according EN 10025:2004

Length

Supply from stock up to 25 metres.



2.1 Flats (1/3)

Dimension (mm)	Weight kg p/m	Galva	Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m			Weight kg p/m
12 x 3	0,29	0,30	35 x 12	3,36	3,52
12 x 5	0,48	0,50	35 x 15	4,20	4,41
12 x 6	0,58	0,60	35 x 20	5,61	5,89
15 x 5	0,60	0,63	40 x 3	0,96	1,00
			40 x 4	1,28	1,34
16 x 3	0,38	0,40	40 x 5	1,60	1,68
16 x 4	0,51	0,54	40 x 6	1,92	2,01
16 x 5	0,64	0,67	40 x 8	2,56	2,68
16 x 6	0,77	0,81	40 x 10	3,20	3,36
16 x 8	1,02	1,07	40 x 12	3,85	4,04
16 x 10	1,28	1,34	40 x 15	4,80	5,04
			40 x 20	6,40	6,72
20 x 3	0,48	0,50	40 x 25	8,00	8,40
20 x 4	0,64	0,67	40 x 30	9,62	9,95
20 x 5	0,80	0,84			
20 x 6	0,96	1,00	45 x 4	1,44	1,50
20 x 8	1,28	1,34	45 x 5	1,80	1,89
20 x 10	1,60	1,68	45 x 6	2,16	2,26
20 x 12	1,92	2,02	45 x 8	2,88	3,02
20 x 15	2,41	2,53	45 x 10	3,60	3,78
			45 x 12	4,32	4,53
25 x 3	0,60	0,63	45 x 15	5,40	5,67
25 x 4	0,80	0,84	45 x 20	7,21	7,57
25 x 5	1,00	1,05	45 x 25	9,00	9,45
25 x 6	1,20	1,26	45 x 30	9,62	10,10
25 x 8	1,60	1,68			
25 x 10	2,00	2,10	50 x 3	1,20	1,26
25 x 12	2,41	2,53	50 x 4	1,60	1,68
25 x 15	3,00	3,15	50 x 5	2,00	2,10
			50 x 6	2,41	2,53
30 x 3	0,72	0,76	50 x 8	3,20	3,36
30 x 4	0,96	1,00	50 x 10	4,01	4,21
30 x 5	1,20		50 x 12	4,80	5,04
30 x 6	1,44	1,51	50 x 15	6,00	6,30
30 x 8	1,92	2,02	50 x 20	8,00	8,40
30 x 10	2,41	2,53	50 x 25	10,00	10,50
30 x 12	2,88	3,02	50 x 30	12,03	12,60
30 x 15	3,60	3,78	50 x 40	16,00	16,80
30 x 20	4,80	5,04			
			55 x 5	2,20	2,30
35 x 3	0,84	0,88	55 x 6	2,64	2,75
35 x 4	1,12	1,17	55 x 8	3,52	3,66
35 x 5	1,40	1,47	55 x 10	4,40	4,58
35 x 6	1,68	1,76	55 x 12	5,28	5,50
35 x 8	2,24	2,35	55 x 15	6,60	6,86
35 x 10	2,80	2,94	55 x 20	8,81	9,16

Flats

Quality

S235JR according to EN 10025.:2004

Length

Supply from stock at 6 metres.



* Flat 50x30: also available crane rail, quality S355 with rounded corners.

(Continued on page 2/3)

2.1 Flats (2/3)

Dimension (mm)	Weight kg p/m	Galva	Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m			Weight kg p/m
60 x 3	1,44	1,51	80 x 4	2,56	2,69
60 x 4	1,92	2,01	80 x 5	3,20	3,36
60 x 5	2,41	2,53	80 x 6	3,84	4,03
60 x 6	2,88	3,03	80 x 8	5,12	5,38
60 x 8	3,84	4,03	80 x 10	6,40	6,72
60 x 10	4,80	5,04	80 x 12	7,68	8,06
60 x 12	5,76	6,05	80 x 15	9,60	10,08
60 x 15	7,21	7,57	80 x 20	12,84	13,48
60 x 20	9,60	10,08	80 x 25	16,00	16,80
60 x 25	12,03	12,63	80 x 30	19,16	20,12
60 x 30	14,40	15,12	80 x 40	25,60	26,88
60 x 40	19,16	20,12	80 x 50	32,00	33,60
			80 x 60	37,70	39,59
65 x 5	2,60	2,73	90 x 5	3,60	3,78
65 x 6	3,12	3,28	90 x 6	4,32	4,54
65 x 8	4,16	4,37	90 x 8	5,76	6,05
65 x 10	5,20	5,46	90 x 10	7,21	7,57
65 x 12	6,24	6,55	90 x 12	8,64	9,07
65 x 15	7,80	8,19	90 x 15	10,80	11,34
65 x 20	10,39	10,91	90 x 20	14,37	15,09
65 x 30	20,40	21,22	90 x 25	18,04	18,94
			90 x 30	21,60	22,68
			90 x 40	28,84	30,28
70 x 3	1,68	1,77	100 x 3	2,41	2,53
70 x 4	2,24	2,35	100 x 4	3,20	3,36
70 x 5	2,80	2,94	100 x 5	4,01	4,21
70 x 6	3,36	3,53	100 x 6	4,80	5,04
70 x 8	4,48	4,70	100 x 8	6,40	6,72
70 x 10	5,61	5,89	100 x 10	8,00	8,40
70 x 12	6,72	7,06	100 x 12	9,60	10,08
70 x 15	8,40	8,82	100 x 15	12,03	12,63
70 x 20	11,21	11,77	100 x 20	16,00	16,80
70 x 25	13,96	14,66	100 x 25	19,97	20,97
70 x 30	16,80	17,64	100 x 30	24,05	25,25
70 x 40	22,42	23,54	100 x 40	32,00	33,60
70 x 50	28,00	29,40	100 x 50	40,05	42,05
			100 x 60	47,10	49,46
75 x 3	1,80	1,88			
75 x 5	3,00	3,15			
75 x 6	3,60	3,78			
75 x 8	4,80	5,04			
75 x 10	6,00	6,30			
75 x 12	7,21	7,57			
75 x 15	9,00	9,45			
75 x 20	12,03	12,63			
75 x 25	14,98	15,73			

Flats

Quality

S235JR according to EN 10025:2004

Length

Supply from stock at 6 metres.



(Continued on 3/3)

2.1 Flats (3/3)

Dimension (mm)	Weight kg p/m	Galva	Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m			Weight kg p/m
110 x 5	4,41	4,63	140 x 5	5,60	5,88
110 x 6	5,28	5,54	140 x 6	6,73	7,07
110 x 8	7,04	7,93	140 x 8	8,96	9,41
110 x 10	8,80	9,24	140 x 10	11,21	11,77
110 x 12	10,60	11,13	140 x 12	13,45	14,12
110 x 15	13,25	13,91	140 x 15	16,81	17,65
110 x 20	17,63	18,51	140 x 20	22,42	23,54
110 x 25	22,00	23,10	140 x 25	28,02	29,42
110 x 30	26,40	27,72	140 x 30	33,60	35,28
			140 x 40	44,80	47,04
			140 x 50	56,10	58,91
120 x 5	4,80	5,04	150 x 5	6,00	6,30
120 x 6	5,76	6,05	150 x 6	7,20	7,56
120 x 8	7,68	8,06	150 x 8	9,60	10,08
120 x 10	9,60	10,08	150 x 10	12,03	12,63
120 x 12	11,52	12,10	150 x 12	14,37	15,09
120 x 15	14,37	15,09	150 x 15	18,04	18,94
120 x 20	19,16	20,12	150 x 20	24,05	25,25
120 x 25	24,05	25,25	150 x 25	29,96	31,46
120 x 30	28,84	30,28	150 x 30	35,97	37,77
120 x 40	38,42	40,34	150 x 40	48,00	50,40
120 x 50	48,00	5,04	150 x 50	60,02	63,02
130 x 5	5,20	5,46			
130 x 6	6,24	6,55			
130 x 8	8,32	8,73			
130 x 10	10,39	10,91			
130 x 12	12,43	13,05			
130 x 15	15,59	16,37			
130 x 20	20,79	21,83			
130 x 25	25,99	27,29			
130 x 30	31,18	32,74			
130 x 40	41,58	43,66			
130 x 50	52,00	54,60			

Flats

Quality

S235JR according to EN 10025:2004

Length

Supply from stock at 6 metres.



3.1 Equal angles

Dimension (mm)	Weight kg p/m	Galva	Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m			Weight kg p/m
15 x 15 x 3	0,72	0,75	75 x 75 x 7	8,09	8,49
20 x 20 x 3	0,90	0,95	75 x 75 x 8	9,20	9,66
20 x 20 x 4	1,26	1,32	75 x 75 x 10	11,30	11,75
25 x 25 x 3	1,14	1,20	80 x 80 x 8	9,84	10,33
25 x 25 x 4	1,49	1,56	80 x 80 x 10	12,13	12,74
25 x 25 x 5	1,81	1,90	90 x 90 x 9	12,43	13,05
30 x 30 x 3	1,39	1,46	90 x 90 x 10	13,66	14,34
30 x 30 x 4	1,81	1,90	90 x 90 x 11	14,85	15,59
30 x 30 x 5	2,22	2,33	100 x 100 x 8	12,43	13,05
35 x 35 x 3	1,63	1,71	100 x 100 x 10	15,29	16,05
35 x 35 x 4	2,13	2,24	100 x 100 x 12	18,14	19,05
35 x 35 x 5	2,62	2,75	100 x 100 x 14	21,00	22,05
40 x 40 x 3	1,88	1,97	100 x 100 x 15	22,30	23,19
40 x 40 x 4	2,47	2,59	110 x 110 x 10	16,92	17,77
40 x 40 x 5	3,03	3,18	110 x 110 x 12	20,10	21,11
40 x 40 x 6	3,59	3,77	120 x 120 x 10	18,60	19,53
45 x 45 x 4	2,75	2,89	120 x 120 x 11	20,28	21,29
45 x 45 x 5	3,45	3,62	120 x 120 x 12	22,01	23,11
50 x 50 x 4	2,99	3,11	120 x 120 x 15	27,10	28,18
50 x 50 x 5	3,84	4,03	130 x 130 x 12	24,05	25,25
50 x 50 x 6	4,56	4,79	130 x 130 x 14	27,72	29,11
50 x 50 x 7	5,25	5,51	140 x 140 x 13	28,02	29,42
50 x 50 x 8	5,93	6,23	140 x 140 x 15	32,00	33,60
55 x 55 x 6	5,04	5,29	150 x 150 x 10	23,20	24,13
60 x 60 x 5	4,60	4,83	150 x 150 x 12	27,82	28,93
60 x 60 x 6	5,52	5,80	150 x 150 x 14	32,20	33,59
60 x 60 x 8	7,23	7,59	150 x 150 x 15	34,44	35,82
60 x 60 x 10	8,86	9,30	150 x 150 x 16	36,80	38,27
65 x 65 x 6	6,02	6,32	150 x 150 x 18	40,90	42,54
65 x 65 x 7	6,96	7,24	160 x 160 x 15	36,89	38,37
65 x 65 x 8	7,88	8,27	160 x 160 x 16	39,00	40,56
65 x 65 x 9	8,78	9,13	180 x 180 x 16	44,33	46,10
70 x 70 x 5	5,48	5,75	180 x 180 x 18	49,50	51,48
70 x 70 x 6	6,50	6,83	180 x 180 x 20	53,70	55,85
70 x 70 x 7	7,52	7,90	200 x 200 x 16	49,42	51,40
70 x 70 x 8	8,52	8,95	200 x 200 x 18	55,20	57,41
70 x 70 x 9	9,52	10,00	200 x 200 x 20	59,90	62,30
70 x 70 x 10	10,50	11,03	200 x 200 x 24	71,10	73,94



Equal Angles

Quality
 S235JR according to EN 10025:2004

Length
 Supply from stock at 6 metres and/or 12 metres. Several dimensions at 14 and 15 metres.



3.2 Unequal angles

Dimension (mm)	Weight kg p/m	Galva	Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m			Weight kg p/m
30 x 20 x 3	1,14	1,20	120 x 80 x 8	12,43	13,05
30 x 20 x 4	1,49	1,56	120 x 80 x 10	15,29	16,05
40 x 20 x 3	1,39	1,46	120 x 80 x 12	18,14	19,05
40 x 20 x 4	1,80	1,89	130 x 65 x 8	12,03	12,63
40 x 25 x 4	1,97	2,05	130 x 65 x 10	14,88	15,62
40 x 25 x 5	2,42	2,52	130 x 65 x 12	17,60	18,48
45 x 30 x 4	2,28	2,39	130 x 90 x 10	16,92	17,77
45 x 30 x 5	2,81	2,95	150 x 75 x 9	15,69	16,32
50 x 30 x 5	3,02	3,14	150 x 75 x 10	17,32	18,01
50 x 40 x 4	2,76	2,90	150 x 75 x 11	19,00	19,76
50 x 40 x 5	3,41	3,58	150 x 90 x 10	18,55	19,29
60 x 30 x 5	3,43	3,57	150 x 90 x 12	22,00	22,88
60 x 30 x 6	4,07	4,23	150 x 100 x 10	19,36	20,13
60 x 30 x 7	4,68	4,87	150 x 100 x 12	23,03	23,95
60 x 40 x 5	3,83	4,02	150 x 100 x 14	26,60	27,57
60 x 40 x 6	4,55	4,78	160 x 80 x 10	18,55	19,29
60 x 40 x 7	5,24	5,45	160 x 80 x 12	22,01	22,89
65 x 50 x 5	4,43	4,65	180 x 90 x 10	20,60	21,42
65 x 50 x 6	5,26	5,52	180 x 90 x 12	24,50	25,48
65 x 50 x 7	6,07	6,31	200 x 100 x 10	23,44	24,38
65 x 50 x 8	6,88	7,16	200 x 100 x 12	27,82	28,93
75 x 50 x 5	4,84	5,03	200 x 100 x 14	32,01	33,29
75 x 50 x 6	5,76	5,99	200 x 100 x 15	34,30	35,67
75 x 50 x 7	6,65	6,92	200 x 100 x 16	36,58	38,04
75 x 50 x 8	7,53	7,83	250 x 90 x 10	26,60	27,66
80 x 40 x 6	5,51	5,79	250 x 90 x 12	31,10	32,34
80 x 40 x 8	7,21	7,57	250 x 90 x 16	41,70	43,37
80 x 65 x 6	6,73	7,06			
80 x 65 x 8	8,83	9,27			
80 x 65 x 10	10,70	11,24			
90 x 60 x 6	6,95	7,30			
90 x 60 x 8	9,13	9,59			
90 x 65 x 6	7,21	7,57			
90 x 65 x 8	9,47	9,94			
100 x 50 x 6	6,98	7,33			
100 x 50 x 8	9,16	9,62			
100 x 50 x 10	11,31	11,88			
100 x 65 x 7	8,94	9,39			
100 x 65 x 8	10,13	10,64			
100 x 65 x 9	11,52	12,10			
100 x 65 x 10	12,53	13,16			
100 x 65 x 11	13,75	14,43			
100 x 75 x 7	9,50	9,98			
100 x 75 x 8	10,80	11,34			
100 x 75 x 9	12,03	12,63			
100 x 75 x 10	13,25	13,91			
100 x 75 x 11	14,50	15,23			



Unequal angles


Quality
 S235JR according to EN 10025:2004

Length
 Supply from stock at 6 metres and/or 12 metres.



4.1 Rounds

Dimension (mm)	Weight kg p/m	Galva	Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m			Weight kg p/m
6	0,23	0,24	45	12,74	13,38
8	0,41	0,43	48	14,22	14,79
10	0,63	0,66	50	15,69	16,47
12	0,91	0,96	55	19,10	20,01
13	1,06	1,11	60	22,62	23,75
14	1,23	1,29	65	26,49	27,81
15	1,39	1,46	70	30,77	32,31
16	1,61	1,69	75	35,40	37,17
18	2,04	2,13	80	40,25	42,26
19	2,27	2,38	85	45,40	47,22
20	2,52	2,64	90	50,85	53,39
22	3,04	3,19	95	56,70	58,97
24	3,62	3,80	100	62,90	66,05
25	3,92	4,12	110	76,00	79,80
28	4,92	5,17	120	90,50	95,03
30	5,66	5,94	130	106,00	111,30
32	6,43	6,75	140	123,00	129,15
35	7,69	8,07	150	142,00	149,10
36	8,15	8,56	160	157,80	165,69
38	9,07	9,43	170	181,00	190,05
40	10,05	10,55	180	199,80	209,79
42	11,10	11,66	200	252,00	264,60



Rounds

Quality

S235JR according to EN 10025:2004

Length

Supply from stock at 6 metres.

4.2 Squares

Dimension (mm)	Weight kg p/m	Galva	Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m			Weight kg p/m
6	0,29	0,30	35	9,80	10,19
8	0,51	0,54	40	12,84	13,48
10	0,80	0,84	45	16,20	16,85
12	1,15	1,21	50	19,97	20,97
14	1,57	1,65	55	24,20	25,17
15	1,80	1,89	60	28,84	30,28
16	2,05	2,15	65	33,80	35,15
18	2,88	3,02	70	39,23	41,19
20	3,20	3,36	75	45,00	46,80
22	3,87	4,06	80	51,15	53,71
25	5,00	5,25	90	64,80	68,04
30	7,21	7,57	100	80,00	84,00
32	8,19	8,52	120	115,0	119,6



Squares

Quality

S235JR according to EN 10025:2004

Length

Supply from stock at 6 metres.



5.1 Equal T-bars

Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m
20 x 20 x 3	0,90	0,95
25 x 25 x 4	1,31	1,38
30 x 30 x 3	1,38	1,45
30 x 30 x 4	1,80	1,89
35 x 35 x 5	2,37	2,49
40 x 40 x 4	2,42	2,54
40 x 40 x 5	3,02	3,17
45 x 45 x 6	3,74	3,93
50 x 50 x 5	3,77	3,96
50 x 50 x 6	4,53	4,76
60 x 60 x 7	6,35	6,67
70 x 70 x 8	8,48	8,90
80 x 80 x 9	10,90	11,45
90 x 90 x 10	13,66	14,34
100 x 100 x 11	16,71	17,55
120 x 120 x 13	23,64	24,82
140 x 140 x 15	31,90	33,50



Equal T-bars

Quality

S235JR according to EN 10025:2004

Length

Supply from stock at 6 metres and/or 12 metres.

5.2 Unequal T-bars

Dimension (mm)	Weight kg p/m	Galva
		Weight kg p/m
60 x 30 x 5,5	3,71	3,90
70 x 35 x 6	4,75	4,99
80 x 40 x 7	6,33	6,65
100 x 50 x 9	9,60	10,08
120 x 60 x 10	13,66	14,34



Unequal T-bars

Quality


S235JR according to EN 10025:2004

Length

Supply from stock at 6 metres and/or 12 metres.

5.3 Channels

Profile	Dimension (mm)						Weight kg p/m	Galva	
	H	X	b	x	d	x		t	Weight kg p/m
U 30	30	x	15	x	4		1,79	1,91	
	30	x	33	x	5	x	7	4,43	4,65
U 40	40	x	20	x	5		2,98	3,13	
	40	x	35	x	5	x	7	5,06	5,31
U 50	50	x	25	x	5		4,01	4,21	
	50	x	38	x	5	x	7	5,81	6,10
U 60	60	x	30	x	6	x	6	5,27	5,53
U 65	65	x	42	x	5,5	x	7,5	7,23	7,74



Channels

Quality

S235JR according to EN 10025:2004

Length

Supply from stock 6 metres and/or 12 metres.



6.1 Large flats

Dimension (mm)	Weight kg p/m	Dimension (mm)	Weight kg p/m
160 x 5	6,52	240 x 10	19,58
160 x 6	7,75	240 x 15	29,37
160 x 8	10,19	240 x 20	39,16
160 x 10	12,75	250 x 5	10,09
160 x 12	15,40	250 x 6	12,13
160 x 15	19,17	250 x 8	16,21
160 x 20	26,11	250 x 10	20,29
160 x 25	32,64	250 x 12	24,37
160 x 30	39,16	250 x 15	30,49
165 x 5	6,73	250 x 20	40,69
165 x 6	8,05	250 x 25	50,89
165 x 8	10,71	250 x 30	61,09
165 x 10	13,36	250 x 40	81,49
165 x 12	16,01	250 x 50	100,0
165 x 15	20,09	260 x 8	16,40
165 x 20	26,82	260 x 10	21,21
170 x 10	13,87	260 x 15	31,82
170 x 12	16,64	280 x 8	18,15
180 x 5	7,24	280 x 10	22,74
180 x 6	8,77	280 x 12	27,33
180 x 8	11,73	280 x 15	34,17
180 x 10	14,58	280 x 20	45,59
180 x 12	17,54	280 x 25	57,12
180 x 15	21,93	300 x 5	12,13
180 x 20	29,27	300 x 6	14,58
180 x 25	36,61	300 x 8	19,58
180 x 30	43,96	300 x 10	24,37
180 x 40	58,65	300 x 12	29,27
190 X 10	15,20	300 x 15	36,61
190 X 12	18,20	300 x 20	48,85
190 x 15	22,80	300 x 25	61,09
200 x 5	8,05	300 x 30	73,33
200 x 6	9,69	300 x 35	84,04
200 x 8	12,95	300 x 40	97,92
200 x 10	16,21	350 x 6	17,03
200 x 12	19,58	350 x 8	22,74
200 x 15	24,37	350 x 10	28,45
200 x 20	32,53	350 x 12	34,17
200 x 25	40,69	350 x 15	42,73
200 x 30	48,85	350 x 20	57,01
200 x 35	57,01	350 x 25	71,29
200 x 40	65,17	400 x 8	26,01
200 x 50	80,07	400 x 10	32,53
220 x 8	14,07	400 x 12	39,06
220 x 10	17,85	400 x 15	48,85
220 x 12	21,11	400 x 20	65,17
220 x 15	26,92	400 x 25	81,49
220 x 20	35,90	400 x 30	97,92
220 x 25	44,88	450 x 12	43,96
220 x 30	53,85	450 x 15	54,97
230 x 5	9,38	500 x 8	32,53
230 x 6	11,11	500 x 10	40,69
230 x 8	14,89	500 x 12	48,85
230 x 10	18,66	500 x 15	61,20
230 x 12	22,44	500 x 20	81,59
230 x 15	28,15	500 x 25	102,00
230 x 20	37,43		
230 x 25	46,20		


Large flats

Quality

S235JR according to EN 10025:2004


Length

Supply from stock at 6 metres.



7.1 Erw welded tubes (Class A)

Dimension (mm)	Weight kg p/m	Galva	
		Weight kg p/m	Weight kg p/m
17,2 x 1,8	0,674	0,714	
21,3 x 2,00	0,952	1,010	
26,9 x 2,35	1,410	1,490	
33,7 x 2,65	2,010	2,130	
42,4 x 2,65	2,580	2,730	
48,3 x 2,90	3,250	3,450	
60,3 x 2,90	4,110	4,360	
76,1 x 3,25	5,800	6,150	
88,9 x 3,25	6,810	7,220	
114,3 x 3,65	9,890	10,400	




Erw welded tubes
Class A, Iso light II

Quality
S235JRH according to EN 10255

Length
Supply from stock at 6 metres.

7.2 Erw welded gas tubes

Dimension (mm)	Weight kg p/m	Galva	
		Weight kg p/m	Weight kg p/m
17,2 x 2,35	0,852	0,903	
21,3 x 2,65	1,220	1,290	
26,9 x 2,65	1,580	1,670	
33,7 x 3,25	2,440	2,590	
42,4 x 3,25	3,140	3,330	
48,3 x 3,25	3,610	3,830	
60,3 x 3,65	5,100	5,410	
76,1 x 3,65	6,510	6,900	
88,9 x 4,05	8,470	8,980	
114,3 x 4,50	12,100	12,800	
139,7 x 4,00	13,500	14,200	
168,3 x 4,50	18,100	19,100	
219,1 x 6,30	33,200	34,900	




Erw welded tubes
Gas, Iso medium

Quality
S235JRH according to EN 10255

Length
Supply from stock at 6 metres.

7.3 Erw welded gas tubes screwed and socked

Dimension (mm)	Galva	
	Weight kg p/m	Weight kg p/m
21,3 x 2,65	1,290	
26,9 x 2,65	1,670	
33,7 x 3,25	2,590	
42,4 x 3,25	3,330	
48,3 x 3,25	3,830	
60,3 x 3,65	5,410	
76,1 x 3,65	6,900	
88,9 x 4,05	8,980	
114,3 x 4,50	12,800	



Erw welded tubes screwed and socked
Gas, Iso medium

Quality
S235JRH according to EN 10255

Length
Supply from stock at 6 metres.



8.1 Hollow sections square (EN10.219)

Dimension (mm)	Weight kg p/m	Dimension (mm)	Weight kg p/m
15 x 15 x 2	0,81	60 x 60 x 2	3,59
20 x 20 x 2	1,12	60 x 60 x 3	5,34
20 x 20 x 3	1,68	60 x 60 x 4	6,96
25 x 25 x 2	1,44	60 x 60 x 5	8,30
25 x 25 x 3	1,92	70 x 70 x 3	6,28
30 x 30 x 2	1,75	70 x 70 x 4	8,21
30 x 30 x 3	2,48	70 x 70 x 5	9,87
35 x 35 x 2	2,07	80 x 80 x 3	7,22
35 x 35 x 3	2,86	80 x 80 x 4	9,47
40 x 40 x 2	2,39	80 x 80 x 5	11,44
40 x 40 x 3	3,46	90 x 90 x 3	8,17
40 x 40 x 4	4,45	90 x 90 x 4	10,73
45 x 45 x 2	2,69	90 x 90 x 5	12,70
50 x 50 x 2	3,02	100 x 100 x 3	9,02
50 x 50 x 3	4,40	100 x 100 x 4	11,84
50 x 50 x 4	5,70	100 x 100 x 5	14,42
50 x 50 x 5	6,73		



Hollow sections square

Quality


S235JRH according to EN 10219

Length

Supply from stock up to 12 metres

8.2 Hollow sections square (EN10.219)

Dimension (mm)	Weight kg p/m	Dimension (mm)	Weight kg p/m
60 x 60 x 6	9,20	150 x 150 x 5	22,26
70 x 70 x 6	11,08	150 x 150 x 6	26,40
80 x 80 x 6	12,96	150 x 150 x 8	33,83
80 x 80 x 8	16,36	150 x 150 x 10	41,90
100 x 100 x 6	16,98	160 x 160 x 6	28,29
100 x 100 x 8	21,57	160 x 160 x 8	36,89
100 x 100 x 10	27,60	160 x 160 x 10	45,10
120 x 120 x 3	10,84	180 x 180 x 6	32,05
120 x 120 x 4	14,30	180 x 180 x 8	41,91
120 x 120 x 5	17,40	180 x 180 x 10	51,50
120 x 120 x 6	20,75	200 x 200 x 5	29,90
120 x 120 x 8	28,13	200 x 200 x 6	35,82
120 x 120 x 10	34,20	200 x 200 x 8	46,94
140 x 140 x 5	20,69	200 x 200 x 10	57,60
140 x 140 x 6	24,52	250 x 250 x 6	45,24
140 x 140 x 8	31,71	250 x 250 x 8	59,50
140 x 140 x 10	38,40	250 x 250 x 10	73,00
		300 x 300 x 8	71,80
		300 x 300 x 10	88,60



Hollow sections square

Quality

S235JRH according to EN 10219.

Length

Supply from stock up to 12 metres.



8.3 Hollow sections rectangular (EN10.219)

Dimension (mm)	Weight kg p/m	Dimension (mm)	Weight kg p/m
30 x 20 x 2	1,44	90 x 50 x 3	6,16
30 x 20 x 3	1,92	90 x 50 x 4	8,02
40 x 20 x 2	1,75	90 x 50 x 5	9,52
40 x 20 x 3	2,39	100 x 30 x 3	5,84
40 x 30 x 2	2,07	100 x 40 x 2	4,26
40 x 30 x 3	2,86	100 x 40 x 3	6,28
50 x 20 x 2	2,07	100 x 40 x 4	8,21
50 x 25 x 2	2,22	100 x 50 x 3	6,75
50 x 25 x 3	3,22	100 x 50 x 4	8,84
50 x 30 x 2	2,39	100 x 50 x 5	10,32
50 x 30 x 3	3,46	100 x 60 x 3	7,22
50 x 30 x 4	4,25	100 x 60 x 4	9,47
50 x 40 x 2	2,69	100 x 60 x 5	11,10
60 x 30 x 2	2,70	100 x 80 x 3	8,17
60 x 30 x 3	3,93	100 x 80 x 4	10,73
60 x 40 x 2	3,02	100 x 80 x 5	12,84
60 x 40 x 3	4,40	120 x 60 x 3	8,17
60 x 40 x 4	5,70	120 x 60 x 4	10,73
70 x 40 x 3	4,78	120 x 60 x 5	12,84
70 x 40 x 4	6,33	120 x 80 x 4	11,98
80 x 40 x 2	3,64	120 x 80 x 5	14,42
80 x 40 x 3	5,34		
80 x 40 x 4	6,96		
80 x 40 x 5	7,96		
80 x 50 x 2	3,95		
80 x 50 x 3	5,81		
80 x 50 x 4	7,59		
80 x 50 x 5	8,75		



Hollow sections rectangular


Quality
S235JRH according to EN 10219.

Length
Supply from stock up to 12 metres.



8.4 Hollow sections rectangular (EN10.219)

Dimension (mm)	Weight kg p/m	Dimension (mm)	Weight kg p/m
80 x 40 x 6	10,40	200 x 100 x 4	18,00
100 x 50 x 6	13,00	200 x 100 x 5	22,26
100 x 50 x 8	16,40	200 x 100 x 6	26,40
100 x 60 x 6	12,97	200 x 100 x 8	34,38
100 x 60 x 8	17,28	200 x 100 x 10	41,90
100 x 80 x 6	14,86	200 x 120 x 5	23,70
120 x 60 x 6	15,10	200 x 120 x 8	36,90
120 x 80 x 6	16,98	200 x 120 x 10	45,10
120 x 80 x 8	21,70	200 x 150 x 6	31,00
140 x 40 x 3	8,04	200 x 150 x 8	40,40
140 x 60 x 5	14,42	200 x 150 x 10	49,57
140 x 70 x 3	9,43	220 x 120 x 8	37,40
140 x 70 x 4	12,36	250 x 100 x 5	28,50
140 x 70 x 5	15,20	250 x 100 x 6	31,00
140 x 70 x 6	17,67	250 x 100 x 8	42,40
140 x 80 x 5	15,99	250 x 150 x 6	35,82
140 x 80 x 6	18,62	250 x 150 x 8	46,94
150 x 50 x 5	14,20	250 x 150 x 10	57,60
150 x 100 x 5	18,34	250 x 150 x 12	67,00
150 x 100 x 6	21,69	260 x 140 x 8	46,90
150 x 100 x 8	27,98	300 x 100 x 6	35,82
160 x 80 x 5	17,55	300 x 100 x 10	57,20
160 x 80 x 6	20,51	300 x 200 x 6	45,00
180 x 80 x 4	15,70	300 x 200 x 8	59,50
180 x 80 x 5	19,12	300 x 200 x 10	73,00
180 x 80 x 6	22,30		
180 x 100 x 5	20,70		
180 x 100 x 6	24,52		



Hollow sections rectangular

Quality

8 + 10 mm: S355J2H according to EN 10219.
Others: S235JRH according to EN 10219.

Length

Supply from stock up to 12 metres.



9.1 Hot rolled plates

Dimension (mm)	Weight kg p/m ²	Dimension (mm)	Weight kg p/m ²
2000 x 1000 x 2	16,00	3000 x 1500 x 2	16,00
2000 x 1000 x 3	24,00	3000 x 1500 x 3	24,00
2000 x 1000 x 4	32,00	3000 x 1500 x 4	32,00
2000 x 1000 x 5	40,00	3000 x 1500 x 5	40,00
2000 x 1000 x 6	48,00	3000 x 1500 x 6	48,00
2000 x 1000 x 8	64,00	3000 x 1500 x 8	64,00
2000 x 1000 x 10	80,00	3000 x 1500 x 10	80,00
2000 x 1000 x 12	96,00	3000 x 1500 x 12	96,00
2000 x 1000 x 15	120,00	3000 x 1500 x 15	120,00
2000 x 1000 x 20	160,00	3000 x 1500 x 20	160,00
2000 x 1000 x 25	200,00	3000 x 1500 x 25	200,00
2000 x 1000 x 30	240,00	3000 x 1500 x 30	240,00
2500 x 1250 x 2	16,00	6000 x 2000 x 3	24,00
2500 x 1250 x 3	24,00	6000 x 2000 x 4	32,00
2500 x 1250 x 4	32,00	6000 x 2000 x 5	40,00
2500 x 1250 x 5	40,00	6000 x 2000 x 6	48,00
2500 x 1250 x 6	48,00		
2500 x 1250 x 8	64,00		
2500 x 1250 x 10	80,00		
2500 x 1250 x 12	96,00		
2500 x 1250 x 15	120,00		
2500 x 1250 x 20	160,00		
2500 x 1250 x 25	200,00		
2500 x 1250 x 30	240,00		



Hot rolled plates

Quality

S235JR according to EN 10025:2004

9.2 Hot rolled tear plates

Dimension (mm)	Weight kg p/m ²	Dimension (mm)	Weight kg p/m ²
2000 x 1000 x 3/5	28,00	3000 x 1500 x 3/5	28,00
2000 x 1000 x 4/6	36,00	3000 x 1500 x 4/6	36,00
2000 x 1000 x 5/7	44,00	3000 x 1500 x 5/7	44,00
2000 x 1000 x 6/8	52,00	3000 x 1500 x 6/8	52,00
2000 x 1000 x 8/10	68,00	3000 x 1500 x 8/10	68,00
2500 x 1250 x 3/5	28,00		
2500 x 1250 x 4/6	36,00		
2500 x 1250 x 5/7	44,00		
2500 x 1250 x 6/8	52,00		
2500 x 1250 x 8/10	68,00		



Hot rolled tear plates

Quality

S235JR according to EN 10025:2004



9.3 Sendzimir galvanized plates

Galva		Galva	
Dimension (mm)	Weight kg p/m ²	Dimension (mm)	Weight kg p/m ²
2000 x 1000 x 0,50	4,00	3000 x 1500 x 0,75	6,00
2000 x 1000 x 0,60	4,80	3000 x 1500 x 0,88	7,04
2000 x 1000 x 0,75	6,00	3000 x 1500 x 1,00	8,00
2000 x 1000 x 0,88	7,04	3000 x 1500 x 1,25	10,00
2000 x 1000 x 1,00	8,00	3000 x 1500 x 1,50	12,00
2000 x 1000 x 1,25	10,00	3000 x 1500 x 2,00	16,00
2000 x 1000 x 1,50	12,00	3000 x 1500 x 2,50	20,00
2000 x 1000 x 2,00	16,00	3000 x 1500 x 3,00	24,00
2000 x 1000 x 2,50	20,00		
2000 x 1000 x 3,00	24,00		
2500 x 1250 x 0,75	6,00		
2500 x 1250 x 0,88	7,04		
2500 x 1250 x 1,00	8,00		
2500 x 1250 x 1,25	10,00		
2500 x 1250 x 1,50	12,00		
2500 x 1250 x 2,00	16,00		
2500 x 1250 x 2,50	20,00		
2500 x 1250 x 3,00	24,00		

Sendzimir galvanized plates

Quality
DX51D+Z275NA-C according to EN 10142

9.4 Plates pickled and oil- protected

Galva		Galva	
Dimension (mm)	Weight kg p/m ²	Dimension (mm)	Weight kg p/m ²
2000 x 1000 x 2	16,00	3000 x 1500 x 2	16,00
2000 x 1000 x 3	24,00	3000 x 1500 x 3	24,00
2000 x 1000 x 4	32,00	3000 x 1500 x 4	32,00
2000 x 1000 x 5	40,00	3000 x 1500 x 5	40,00
2000 x 1000 x 6	48,00	3000 x 1500 x 6	48,00
2000 x 1000 x 8	64,00	3000 x 1500 x 8	64,00
2000 x 1000 x 10	80,00	3000 x 1500 x 10	80,00
2000 x 1000 x 12	96,00	3000 x 1500 x 12	96,00
2500 x 1250 x 2	16,00		
2500 x 1250 x 3	24,00		
2500 x 1250 x 4	32,00		
2500 x 1250 x 5	40,00		
2500 x 1250 x 6	48,00		
2500 x 1250 x 8	64,00		
2500 x 1250 x 10	80,00		
2500 x 1250 x 12	96,00		

Plates pickled and oil- protected

Quality
Up to and including 2 mm StW22,
DD11 EN 10111,
as from 3 mm S235JR EN 10025:2004



9.5 Cold- formed plates

Dimension (mm)	Weight kg p/m ²	Dimension (mm)	Weight kg p/m ²
2000 x 1000 x 0.75	6,00	3000 x 1500 x 0.75	6,00
2000 x 1000 x 1.00	8,00	3000 x 1500 x 1.00	8,00
2000 x 1000 x 1.25	10,00	3000 x 1500 x 1.25	10,00
2000 x 1000 x 1.50	12,00	3000 x 1500 x 1.50	12,00
2000 x 1000 x 2.00	16,00	3000 x 1500 x 2.00	16,00
2000 x 1000 x 2.50	20,00	3000 x 1500 x 2.50	20,00
2000 x 1000 x 3.00	24,00	3000 x 1500 x 3.00	24,00
2500 x 1250 x 0.75	6,00		
2500 x 1250 x 1.00	8,00		
2500 x 1250 x 1.25	10,00		
2500 x 1250 x 1.50	12,00		
2500 x 1250 x 2.00	16,00		
2500 x 1250 x 2.50	20,00		
2500 x 1250 x 3.00	24,00		

Cold- formed plates

Quality

DC01-AM, according to EN 10130/10131.

9.6 Electrolytic galvanized plates

Dimension (mm)	Weight kg p/m ²	Dimension (mm)	Weight kg p/m ²
2500 x 1250 x 0.50	4,00	3000 x 1500 x 1.00	8,00
2500 x 1250 x 0.75	6,00	3000 x 1500 x 1.25	10,00
2500 x 1250 x 1.00	8,00	3000 x 1500 x 1.50	12,00
2500 x 1250 x 1.25	10,00	3000 x 1500 x 2.00	16,00
2500 x 1250 x 1.50	12,00	3000 x 1500 x 3.00	24,00
2500 x 1250 x 2.00	16,00		
2500 x 1250 x 2.50	20,00		
2500 x 1250 x 3.00	24,00		
2000 x 1000 x 0.75	6,00		
2000 x 1000 x 1.00	8,00		
2000 x 1000 x 1.25	10,00		
2000 x 1000 x 1.50	12,00		
2000 x 1000 x 2.00	16,00		
2000 x 1000 x 2.50	20,00		
2000 x 1000 x 3.00	24,00		

Electrolytic galvanized plates

Quality

DC01+ZE, according to
EN 10152 / 10131.

